

FIG.1

665290-41824260

2/10

2




FIG.2

09/242814-06599




FIG.3

4/10





FIG.4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

09/242814


5/10

09/242814-062599



TOTAL PLAY TIME OF  
A-L IS 3437 SEC

**FIG.5A**



CHANGE TO NUMBER  
OF LONGER DURATION

3600 SEC  
IN TOTAL

**FIG.5B**




FIG.6




FIG.7




FIG.8




FIG.9

065944-25566

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

09/242814

7/10




FIG.10

09/242814-1824260

CONFIGURATION SETTING AND REFERENCE

ITEM	SETTING	REFERENCE
COMMON TIME	SWITCH	FORMATION, OWNING, SEND-OUT, MXC, OA MONITOR
BIT RATE TABLE	SWITCH	FORMATION, SEND-OUT
CHANNEL COMBINATION TABLE	SWITCH	SEND-OUT, MXC
CURRENT MUX USE STATE	SWITCH	MXC
PMT	MXC	SEND-OUT
SERVICE TABLE	SWITCH	SEND-OUT, MXC

FIG.11




FIG.12

09/242814-0659





10/10




FIG.14

665290" 47824260